



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

August 14, 2007

**KINNEY & LANGE, P.A.**  
**THE KINNEY & LANGE BUILDING**  
**312 SOUTH THIRD STREET**  
**MINNEAPOLIS MN 55415-1002**

Patent No. : 7,114,690 B2  
Inventor(s) : David R. Bissen  
Issued : October 3, 2006  
For **UNIVERSAL MAST SUPPORT FRAME**  
**AND METHOD FOR MOUNTING MASTS**  
Doc. No. **S51.12-0042**

To Whom It May Concern:

The Certificate of Correction issued on August 14, 2007, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The issue date in the heading of cofc has been incorrectly entered in the heading of the issued cofc. A superseding cofc will be issued to correct the patent issue date to read --October 3, 2006--.

---

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(703) 308-9390 ext. 111  
For Cecelia Newman, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 305-8309 / 703-308-9390 ext. 102  
cbn